

## Using artificial intelligence to better predict severe weather

### Researchers create AI algorithm to detect cloud formations that lead to storms

*Date:* July 2, 2019

*Source:* Penn State

*Summary:* When forecasting weather, meteorologists use a number of models and data sources to track shapes and movements of clouds that could indicate severe storms. However, with increasingly expanding weather data sets and looming deadlines, it is nearly impossible for them to monitor all storm formations -- especially smaller-scale ones -- in real time.

#### FULL STORY

---



Storm (stock image).

*Credit:* © mdesigner125 / Adobe Stock

When forecasting weather, meteorologists use a number of models and data sources to track shapes and movements of clouds that could indicate severe storms. However, with increasingly expanding weather data sets and looming deadlines, it is nearly impossible for them to monitor all storm formations -- especially smaller-scale ones -- in real time.

Now, there is a computer model that can help forecasters recognize potential severe storms more quickly and accurately, thanks to a team of researchers at Penn State, AccuWeather, Inc., and the University of Almería in Spain. They have developed a framework based on machine learning linear classifiers -- a kind of artificial intelligence -- that detects rotational movements in clouds from satellite images that might have otherwise gone unnoticed. This AI solution ran on the Bridges supercomputer at the Pittsburgh Supercomputing Center.

Steve Wistar, senior forensic meteorologist at AccuWeather, said that having this tool to point his eye toward potentially threatening formations could help him to make a better forecast.

"The very best forecasting incorporates as much data as possible," he said. "There's so much to take in, as the atmosphere is infinitely complex. By using the models and the data we have [in front of us], we're taking a snapshot of the most complete look of the atmosphere."

In their study, the researchers worked with Wistar and other AccuWeather meteorologists to analyze more than 50,000 historical U.S. weather satellite images. In them, experts identified and labeled the shape and motion of "comma-shaped" clouds. These cloud patterns are strongly associated with cyclone formations, which can lead to severe weather events including hail, thunderstorms, high winds and blizzards.

Then, using computer vision and machine learning techniques, the researchers taught computers to automatically recognize and detect comma-shaped clouds in satellite images. The computers can then assist experts by pointing out in real time where, in an ocean of data, could they focus their attention in order to detect the onset of severe weather.

"Because the comma-shaped cloud is a visual indicator of severe weather events, our scheme can help meteorologists forecast such events," said Rachel Zheng, a doctoral student in the College of Information Sciences and Technology at Penn State and the main researcher on the project.

The researchers found that their method can effectively detect comma-shaped clouds with 99 percent accuracy, at an average of 40 seconds per prediction. It was also able to predict 64 percent of severe weather events, outperforming other existing severe-weather detection methods.

"Our method can capture most human-labeled, comma-shaped clouds," said Zheng. "Moreover, our method can detect some comma-shaped clouds before they are fully formed, and our detections are sometimes earlier than human eye recognition."

"The calling of our business is to save lives and protect property," added Wistar. "The more advanced notice to people that would be affected by a storm, the better we're providing that service. We're trying to get the best information out as early as possible."

This project enhances earlier work between AccuWeather and a College of IST research group led by professor James Wang, who is the dissertation adviser of Zheng.

"We recognized when our collaboration began [with AccuWeather in 2010] that a significant challenge facing meteorologists and climatologists was in making sense of the vast and continually increasing amount of data generated by Earth observation satellites, radars and sensor networks," said Wang. "It is essential to have computerized systems analyze and learn from the data so we can provide timely and proper interpretation of the data in time-sensitive applications such as severe-weather forecasting."

He added, "This research is an early attempt to show feasibility of artificial intelligence-based interpretation of weather-related visual information to the research community. More research to integrate this approach with existing numerical weather-prediction models and other simulation models will likely make the weather forecast more accurate and useful to people."

Concluded Wistar, "The benefit [of this research] is calling the attention of a very busy forecaster to something that may have otherwise been overlooked."

#### **Story Source:**

Materials provided by **Penn State**. Original written by Jessica Hallman. *Note: Content may be edited for style and length.*

**Journal Reference:**

1. Xinye Zheng, Jianbo Ye, Yukun Chen, Steve Wistar, Jia Li, Jose A. Piedra Fernandez, Michael A. Steinberg, James Z. Wang. **Detecting Comma-Shaped Clouds for Severe Weather Forecasting Using Shape and Motion.** *IEEE Transactions on Geoscience and Remote Sensing*, 2019; 57 (6): 3788  
DOI: 10.1109/TGRS.2018.2887206

**Cite This Page:**

MLA

APA

Chicago

Penn State. "Using artificial intelligence to better predict severe weather: Researchers create AI algorithm to detect cloud formations that lead to storms." ScienceDaily. ScienceDaily, 2 July 2019.  
<[www.sciencedaily.com/releases/2019/07/190702160115.htm](http://www.sciencedaily.com/releases/2019/07/190702160115.htm)>.

**RELATED STORIES****Researchers Rise to Challenge of Predicting Hail, Tornadoes Three Weeks in Advance**

Nov. 28, 2018 — A prediction lead time of about 2 to 5 weeks is sorely lacking in current forecasting capabilities for severe weather. Atmospheric scientists now demonstrate the ability to make skillful predictions ... [read more »](#)

**Extra Arctic Observations Can Improve Predictability of Tropical Cyclones**

Sep. 21, 2018 — Scientists have found that additional weather observations in the Arctic can help predict the track and intensity of tropical and mid-latitude cyclones more accurately, improving weather forecasting ... [read more »](#)

**How Lightning Strikes Can Improve Storm Forecasts**

Nov. 11, 2016 — Real-time lightning observations could significantly improve forecasts of large storm events, say scientists. Apart from ground stations, weather forecasts are heavily dependent on weather satellites ... [read more »](#)

**Extreme Cold Winters Fuelled by Jet Stream and Climate Change**

Oct. 26, 2016 — Scientists agree for first time that climate change may be intensifying the effects of the jet stream, causing extreme cold weather in the UK and US. Their study could improve long-term forecasting ... [read more »](#)